

TO AND TO WILLSE THE PRESENTS SHADD COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 13, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/531,727 FILING DATE: December 22, 2003

RELATED PCT APPLICATION NUMBER: PCT/US04/41855



Certified By

Jon W Dudas

Under Secretary
of Commerce for Intellectual Property
and Acting Director of the
Unites States Patent and Trademark Office

BEST AVAILABLE COPY

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c). Express mail Label no. EL 995078824US

INVENTOR(S)										
Given Name (first and midd	Family I	Name or Sumam	e (City and e	Residence (City and either State or Foreign Country)						
Max Ward	N	luterspaugh	ı	Indianapolis, Indiana						
Matthew Thomas		Mayer	ı l	Indianapolis, Indiana						
Additional inventors are being named on the separately numbered sheets attached hereto										
TITLE OF THE INVENTION (500 characters max)										
AUTOMATIC GAIN CONTROL WITH OPTIMUM ADJACENT CHANNEL PROTECTION										
Direct all correspondènce to: CORRESPONDENCE ADDRESS										
Customer Number	er Number									
OR										
Firm or Individual Name	JOSEPH S. TRIPOLI, THOMSON LICENSING INC.									
Address	PATENT OPERATIONS									
Address	P. O. BOX 5312									
City	PRINCETON		State	NJ	ZIP	08543-5312				
Country	USA ENCLOSED	ABBLICAS	Telephone	609 - 734-6834	Fax	609 - 734-6888				
ENCLOSED APPLICATION PARTS (check all that apply)										
Specification Number of Pages 5 CD(s), Number										
☑ Drawing(s) Number of Sheets 2										
Application Data Sheet. See 37 CFR 1.76										
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT										
Applicant claims small entity status. See 37 CFR 1.27.										
A check or money order is enclosed to cover the filing fees FILING FEE										
AMOUNT (\$)										
The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 07-0832 \$160										
Payment by credit card. Form PTO-2038 is attached.										
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.										
No.										
Yes, the name of the U.S. Government agency and the Government contract number are:										
/// // [Page 1 of 2]										
Respectfully submitted // ////////////////////////////////										
SIGNATURE	WAY		REGISTRATION NO. 28,298							
TYPED or PRINTED NAME	ried		propriate)							
TELEPHONE 609-734-6811 Docket Number: PU030331										

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form end/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patanta, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL				Complete if Known								
				Application Number								
for FY 2003				Filing Date								
					First Named Inventor			Max Ward Muterspaugh				
Effective 01/01/2003. Patent fees are subject to annual revision.					Examiner Name							
Applicant claims small entity status. See 37 CFR 1.27					Arl Unit							
TOTAL AMOUNT OF PAYMENT (\$) 160					Attorney Docket No. PU030331							
METHOD OF PAYMENT (check all that apply)						FEE CALCULATION (continued)						
					3. AD	OITIO	IAL FE	ES				
☐ Check ☐ Credit card ☐ Money ☐ Other ☐ None Order				Lerge	Entity	Sma'l E	atity					
Deposit Accoun	Deposit Account:					Fee	Fee	Fee	Fee			
Deposit		<u></u>			- 1	Code	(\$)	Code	(\$)	Fee Des	cription	Fee Paid
Account	07-0832				- 1	1051	130	2051	65	Surcharge - late t	_	
Number				1052	50	2052	25	or cover sheet.	provisional filing fee			
	Deposit Account THOMSON LICENSING INC. Name					1053	130	1053	130	Non-English spec		<u> </u>
						1812 1804	2,520 920'	1812 1804	2,520 920°		st for reexamination	\vdash
The Director is authorized to: (check all that apply)						1004	520	1004	JEV	Examiner action	cation of SIR prior to	
Charge any add	☐ Charge fee(s) indicated below ☐ Credit any overpayments ☐ Charge any additional fee(s) during the pendency of this application					1805	1,840°	1805	1,840°	Requesting publi Examiner action	cation of SIR after	
Charge fee(s) in to the above-identif				e filing fee		1251	110	2251	55	· ·	ly within first month	<u> </u>
			CULATION			1252	420	2252	210	Extension for rep month	ly within second	
1. BASIC FIL	LING FE	E			-	1253	950	2253	475	Extension for rep	ly within third month	
Large Entity Small Entity					1254	1,480	2254	740	Extension for rep month	ly within fourth		
	ee re code (\$		e Descriptio	II Fee Paid		1255	2,010	2255	1,005	Extension for rep	ly within fifth month	
1001 770 20	001 38		ility filing fee]	1401	330	2401	165	Notice of Appeal		
1002 340 20	002 17	70 De	esign filing fe	,]	1402	330	2402	165		apport of an appeal	
	003 26		ant filing fee		4	1403	290	2403	145	Request for oral	•	—
	004 38		eissue filing fo		-	1451	1,510	1451	1,510	Petition to institution proceeding	e a public use	
1005 160 2005 80 Provisional filling fee 160				J 1	1452	110	2452	55	Petition to revive	- unavoidable		
SUBTOTAL (1) (\$) 160]	1453	1,330	2453	665	Petition to revive	Petition to revive - unintentional		
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE					1501	1,330	2501	665	Utility issue fee (
Z. EXTRACLAI	IM FEES			Fee from Fee		1502	480 640	2502	240 320	Design issue fee Plant issue fee	\vdash	
	Ctaims below Paid				_	1503 1460	130	2503 1460	130	Petitions to the C	'ammiccionar	\vdash
Total Claims = 0 X = 0				╡	1807	50	1807	50		nder 37 CFR 1.17 (q)	$\vdash \vdash$	
Independent Claims	_]. •	. = 6	×	= 0	_	1806	180	1808	180	-	formation Disclosure	
Multiple Dependent X = 0					8021	40	8021	40	Recording each per property (time			
Large Entity Fee Fee	Large Entity Small Entity Fee					1809	770	2809	385	properties) Filing a submissi	ion after final rejection	-
Code (\$)	Code	(\$)	Fee Desci	iption						(37 CFR § 1.129	(a))	
1202 18	2202	9		excess of 20		1810	770	2810	385	For each addition examined (37 Ci	nal invention to be FR § 1.129(b))	
1201 86 1203 290	2201 2203	43 145		nt claims in excess of 3 ependent claim, if not pa			770	2004	205	•	ued Examination (RCE)	
1204 86	2204	43	** Reissue	independent claims ov		1801	770	2801	385	•		
	!		original pa		and	1802	900	1802	900	Request for exped of a design applic		
1205 18 2205 9 "Reissue claims in excess of 20 and over original patent					Other	fee (spec	ify)	-				
SUBTOTAL (2) (5) 0											<u> </u>	
"or number previously paid, if greater; For Reissues, see above						*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 0						
SUBMITTED BY	Π.		- IN	Togistration N	b. 9		T_	200			plete (il applicable)	
11/200 11/11/20				28,298				Telephone	609-734-6811			
Signature MANUE / YOUL								Date	December 22, 2003			

WARNING: Information on this form may become public. Credit card information should not be included on this form, Provided redit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions, for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PU030331

Automatic Gain control With Optimum Adjacent Channel Protection Field of the Invention

This invention relates to the field of tuners, and in particular, the field of television tuners with automatic gain control.

Description of Related Art

When a relatively weak signal is being received, the presence of much stronger adjacent interfering signals can overload the tuner and prevent reception due to the resulting distortion. Prior art circuits detected the presence of strong adjacent channels and applied this to reduce the gain of the tuner. This previous solution did not function well for interference much stronger than the desired. It also did not make an optimum function for both analog and digital interfering signals.

10

15

20

25

30

The previous solutions allow a great deal of the adjacent channel signals to affect the gain control function. This results in an excessive reduction of tuner gain in the presence of strong interference. The previous implementation attempted to use a microprocessor algorithm to correct this. It did not make provisions for whether the interference was from a digital or analog signal. Reference is made to "NXT2002 Application Note: NXT2002 MEV Automatic Gain Control" by Nxtwave Communications, div. of ATI, One Summit Square, Route 413 and Doublewoods Road, Langhorne, PA 19047.

Summary of the Invention

In accordance with the inventive arrangements, the automatic gain control of a television tuner is modified to include the presence of an adjacent interfering channel. This frequency response of the circuitry deriving such control is optimized for the presence of either analog or digital interfering signals.

PU030331

Detailed Description of the Preferred Embodiments

Figure 1 is a block diagram of a modern television receiver equipped to receive both analog and digital signals. The significant sections are a tuner for selecting a desired 5 television channel, amplifying and converting that channel to an intermediate frequency (IF) of 41 to 47 MHz, a filtering and amplification means to remove undesired channels and prepare the signal for demodulation and further processing to audio and video outputs. The received signals vary greatly in amplitude and a further means of deriving an automatic gain control signal is provided and applied to the tuner at a gain control input such that this variation may be compensated.

10

15

20

25

30

Prior to the introduction of digital television, adjacent channel frequencies were never assigned in the same geographical region. This practice, in the vast majority of cases, prevented interference from adjacent channels. cable delivery, adjacent channels are permitted, but the relative levels are carefully controlled such that extremely adverse variations in signal level are not present.

With the introduction of digital television, it was required that adjacent channels be used such that both analog and digital signals could be transmitted during the transition · period until virtually all televisions receivers had been replaced with new units capable of digital reception. has resulted in increased interference and a new problem in which relatively weak digital television signals can suffer interference from adjacent analog or digital signals that can be relatively much stronger than before.

In a previous implementation, a gain reduction control was derived by sampling the signal present at the output of the tuner before any significant filtering was applied to remove the adjacent channel signals. This is indicated as "point A" in Figure 1. In operation without interference, the

desired signal is converted into a control voltage and applied to reduce the tuner gain in a manner to maintain a nearly . constant output signal from the tuner. With the presence of adjacent channel interference, those signals also contribute 5 to the control voltage to further reduce the tuner gain. prevents overload in the tuner and allows reception with moderately adverse conditions. A problem exists with extremely strong adjacent channel signals, for example 20 to 40 dB stronger than the desired channel, when this gain control signal is dominated by the interference. The tuner gain is reduced to a very low level such that the desired signal is below a critical level for proper demodulation and/or obscured by noise. Various solutions have been attempted using a microprocessor control to correct for this, but a problem exits in that the converted control signal is dominated by the interference and has little information regarding the amplitude of the desired signal. The converter for the control signal also responds differently in the presence of analog and digital interfering signals.

10

15

20

25

A first part of the invention is to derive the control from a signal that has been carefully filtered to remove a majority of the adjacent channel interference. This is · indicated by "Point B" in Figure 2. The preceding SAW (surface acoustic wave) filter SAW1 is primarily wide enough to pass the desired channel, but also allows a small amount of the adjacent channel signal to pass. This can be amplified, converted into a control voltage and processed to control the tuner gain. Such control is made to reduce tuner gain as the signals at Point B increase. By controlling the amount of adjacent channel signal with the bandwidth of such filter, the amount of influence of adjacent channel power can be controlled.

Digital television signals are characterized by having a very uniform distribution of power over the bandwidth of that signal. For example, if the signal is filtered to remove half of the bandwidth, the power is reduced by half. Thus, the 5 influence of digital interfering signals is easily controlled. At the converted IF (intermediate frequency) output of the tuner, the desired signal is between 41 and 47 MHz. extending the frequency response of the filter SAW1 to slightly exceed this range, the control range provided by digital adjacent channel interference can be well controlled.

10

15

20

30

A second problem exists with analog interference. In analog television, the signal power is concentrated near the carriers, specifically the picture and sound carriers. In the presence of analog interference, the adjacent sound carrier is very close to the band edge of the desired, specifically 47.25 MHz. It was discovered that the presence of that sound carrier produced too much power and adversely reduced the tuner gain more than desired. Thus, a simple filter solution by adjusting the SAW filter bandwidth did not work optimally for both digital and analog interference.

A second part of the invention is to introduce a narrow stop band filter, or "trap" to specifically control the level · of such an analog sound carrier. One such implementation is shown in Figure 3 with the addition of circuit elements L3, C9, R9, and X1. Specifically, the element X1 is a ceramic resonator tuned to shunt 47.25 MHz frequencies. The elements L3 and C9 are added to optimize impedances for the amplifier and resistor R9 is added to control the amount of attenuation of the 47.25 MHz sound carrier.

By adjusting the bandwidth of the SAW filter SAW1, the gain of the amplifier and the circuit elements associated with the 47.25 MHz trap, the resulting gain control signal applied to the tuner can not only be optimized to prevent overload of

a much greater variation of interfering signal levels, but also optimized for both digital and analog interfering signals.

Figure 4 shows a plot of output voltage vs. frequency for 5 a signal applied to the SAW filter input at point A (in Figure 2) and an output voltage measured at point C. Two frequency responses are shown. Curve X is without the addition of the 47.25 MHz trap elements, namely C9, R9 and X1. Curve Y is taken with these elements added and shows the adjustment in frequency response made to optimize operation for analog interfering signals. The frequency response between 47.00 and 48.00 MHz is the adjacent channel bandwidth that is processed to effect the tuner gain control in the presence of the above adjacent channel interference.

10




Figure 1




Figure 2




Figure 3






Figure 4

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/041855

International filing date: 14 December 2004 (14.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/531,727

Filing date: 22 December 2003 (22.12.2003)

Date of receipt at the International Bureau: 28 January 2005 (28.01.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)

